

2013 SURVEYOR CERTIFICATION FORM

Name of Development: _____

Development Location: _____

(At a minimum, provide the address number, street name and city, and/or provide the street name, closest designated intersection and either the city (if located within a city) or county (if located in the unincorporated area of the county). If the Development consists of Scattered Sites, the Development Location stated above must reflect the Scattered Site¹ where the Development Location Point is located.)

The undersigned Florida licensed surveyor confirms that the method used to determine the following latitude and longitude coordinates conforms to Rule 5J-17, F.A.C., formerly 61G17-6, F.A.C.:

**All calculations shall be based on "WGS 84" and be grid distances. The horizontal positions shall be collected to meet sub-meter accuracy (no autonomous hand-held GPS units shall be used).*

| | | | | | | |
|--|--------------------|---------------|--|--------------------|---------------|--|
| State the Development Location Point.² | N _____ Degrees | _____ Minutes | _____ Seconds (truncated after 1 decimal place) | W _____ Degrees | _____ Minutes | _____ Seconds (truncated after 1 decimal place) |
| | | | | | | |

To be eligible for proximity points, Degrees and Minutes must be stated as whole numbers and Seconds must be truncated after 1 decimal place.

Transit Service – State the latitude and longitude coordinates for one (1) Transit Service on the chart below.³

| | Latitude | | | Longitude | | |
|--|--------------------|---------------|---|--------------------|---------------|---|
| Public Bus Stop | N _____ Degrees | _____ Minutes | _____ Seconds (truncated after 1 decimal place) | W _____ Degrees | _____ Minutes | _____ Seconds (truncated after 1 decimal place) |
| Public Bus Transfer Stop | N _____ Degrees | _____ Minutes | _____ Seconds (truncated after 1 decimal place) | W _____ Degrees | _____ Minutes | _____ Seconds (truncated after 1 decimal place) |
| Public Bus Rapid Transit Stop | N _____ Degrees | _____ Minutes | _____ Seconds (truncated after 1 decimal place) | W _____ Degrees | _____ Minutes | _____ Seconds (truncated after 1 decimal place) |
| SunRail Station, MetroRail Station, or TriRail Station | N _____ Degrees | _____ Minutes | _____ Seconds (truncated after 1 decimal place) | W _____ Degrees | _____ Minutes | _____ Seconds (truncated after 1 decimal place) |
| Using the method described above*, the distance (rounded up to the nearest hundredth of a mile) between the coordinates of the Development Location Point and the coordinates of the Transit Service is: | | | | | | ____.____ Miles |

Community Services - State the Name, Address and latitude and longitude coordinates of the closest service(s) on the chart below.³

| Grocery Store: | Latitude | | | Longitude | | |
|--|--------------------|---------------|--|--------------------|---------------|---|
| Name - _____ Address - _____ _____ _____ | N _____ Degrees | _____ Minutes | _____ Seconds (truncated after 1 decimal place) | W _____ Degrees | _____ Minutes | _____ Seconds (truncated after 1 decimal place) |
| Using the method described above*, the distance (rounded up to the nearest hundredth of a mile) between the coordinates of the Development Location Point and the coordinates of the Grocery Store is: | | | | | | ____.____ Miles |

Initials of Surveyor _____

2013 SURVEYOR CERTIFICATION FORM

| Public School: | Latitude | | | Longitude | | |
|--|--------------------|------------------|--|--------------------|------------------|--|
| Name - _____ Address - _____ _____ _____ | N _____ Degrees | _____ Minutes | _____ Seconds (truncated after 1 decimal place) | W _____ Degrees | _____ Minutes | _____ Seconds (truncated after 1 decimal place) |
| Using the method described above*, the distance (rounded up to the nearest hundredth of a mile) between the coordinates of the Development Location Point and the coordinates of the Public School is: | | | | ____.____ Miles | | |
| Medical Facility: | Latitude | | | Longitude | | |
| Name - _____ Address - _____ _____ _____ | N _____ Degrees | _____ Minutes | _____ Seconds (truncated after 1 decimal place) | W _____ Degrees | _____ Minutes | _____ Seconds (truncated after 1 decimal place) |
| Using the method described above*, the distance (rounded up to the nearest hundredth of a mile) between the coordinates of the Development Location Point and the coordinates of the Medical Facility is: | | | | ____.____ Miles | | |
| Senior Center: | Latitude | | | Longitude | | |
| Name - _____ Address - _____ _____ _____ | N _____ Degrees | _____ Minutes | _____ Seconds (truncated after 1 decimal place) | W _____ Degrees | _____ Minutes | _____ Seconds (truncated after 1 decimal place) |
| Using the method described above*, the distance (rounded up to the nearest hundredth of a mile) between the coordinates of the Development Location Point and the coordinates of the Senior Center is: | | | | ____.____ Miles | | |
| Pharmacy: | Latitude | | | Longitude | | |
| Name - _____ Address - _____ _____ _____ | N _____ Degrees | _____ Minutes | _____ Seconds (truncated after 1 decimal place) | W _____ Degrees | _____ Minutes | _____ Seconds (truncated after 1 decimal place) |
| Using the method described above*, the distance (rounded up to the nearest hundredth of a mile) between the coordinates of the Development Location Point and the coordinates of the Pharmacy is: | | | | ____.____ Miles | | |
| Adult Education Institution: | Latitude | | | Longitude | | |
| Name - _____ Address - _____ _____ _____ | N _____ Degrees | _____ Minutes | _____ Seconds (truncated after 1 decimal place) | W _____ Degrees | _____ Minutes | _____ Seconds (truncated after 1 decimal place) |
| Using the method described above*, the distance (rounded up to the nearest hundredth of a mile) between the coordinates of the Development Location Point and the coordinates of the Adult Education Institution is: | | | | ____.____ Miles | | |

Note: This Surveyor Certification Form is used for a variety of different Request for Applications (RFAs). Check the Proximity section of each RFA to determine which of the above-listed Community Services pertain to that particular RFA.

If the Corporation discovers that there are any false statements made in this certification, the Corporation will forward a copy to the State of Florida Department of Business and Professional Regulation for investigation.

Initials of Surveyor _____

2013 SURVEYOR CERTIFICATION FORM

CERTIFICATION – Under penalties of perjury, I declare that the foregoing statement is true and correct.

Signature of Florida Licensed Surveyor

Florida License Number of Signatory

Print or Type Name of Signatory

Please note: This form may be modified by Florida Housing Finance Corporation per Section 67-60.005, F.A.C.

This certification consists of 4 pages. This certification may not be signed by the Applicant, by any related parties of the Applicant, or by any Principals or Financial Beneficiaries of the Applicant. If the certification is inappropriately signed, the Application will not be eligible to receive proximity points. If this certification contains corrections or ‘white-out’, or if it is altered or retyped, the form will not be considered. The certification may be photocopied. To be considered for scoring purposes, at least pages 1 through 3 of this 4 page certification form must be provided by the Applicant.

¹“Scattered Sites,” as applied to a single Development, means a Development site that, when taken as a whole, is comprised of real property that is not contiguous (each such non-contiguous site within a Scattered Site Development, a “Scattered Site”). For purposes of this definition “contiguous” means touching at a point or along a boundary. Real property is contiguous if the only intervening real property interest is an easement provided the easement is not a roadway or street. (See Rule 67-48.002, F.A.C.).

²“Development Location Point” means a single point selected by the Applicant on the proposed Development site that is located within 100 feet of a residential building existing or to be constructed as part of the proposed Development. For a Development which consists of Scattered Sites, this means a single point on the site with the most units that is located within 100 feet of a residential building existing or to be constructed as part of the proposed Development (See Rule 67-48.002, F.A.C.).

³The latitude and longitude coordinates for all Proximity Services must represent a point as outlined on the Coordinates Location Chart set out below. The coordinates for each service must be stated in degrees, minutes and seconds, with the degrees and minutes stated as whole numbers and the seconds truncated after one decimal place. If the degrees and minutes are not stated as whole numbers and the seconds are not truncated after one decimal place, the Applicant will not be eligible for proximity points for that service.

| Coordinates Location Chart | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---------------------|---------------------------------------|---------------------------|----------------------------|-----------------------|----------------------------|----------------|----------------------------|--------------------------|----------------------------|-------------------|---------------------------|----------------------|----------------------------|------------------|----------------------------|------------------|----------------------------|-----------------------------|----------------------------|------------------------|---------------------------|----------------------|----------------------------|------------------------------|---------------------------|
| Service | Location where latitude and longitude coordinates must be obtained | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Community Services | Coordinates must represent a point that is on the doorway threshold of an exterior entrance that provides direct public access to the building where the service is located. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Transit Services | <p>For Public Bus Stop, Public Bus Rapid Transit Stop, Public Bus Transfer Stop, TriRail Rail Stations and MetroRail Rail Stations, coordinates must represent the location where passengers may embark and disembark the bus or train.</p> <p>For SunRail Rail Stations, coordinates must represent either the location where passengers may embark and disembark the train or the coordinates listed below:</p> <table border="0"> <thead> <tr> <th>Station Name</th> <th>Latitude/Longitude Coordinates</th> </tr> </thead> <tbody> <tr> <td>Altamonte Springs Station</td> <td>N 28 39 50.1, W 81 21 23.4</td> </tr> <tr> <td>Church Street Station</td> <td>N 28 32 20.3, W 81 22 50.6</td> </tr> <tr> <td>DeBary Station</td> <td>N 28 51 20.3, W 81 19 24.1</td> </tr> <tr> <td>Florida Hospital Station</td> <td>N 28 34 21.8, W 81 22 17.4</td> </tr> <tr> <td>Lake Mary Station</td> <td>N28 45 31.8, W 81 19 04.3</td> </tr> <tr> <td>LYNX Central Station</td> <td>N 28 32 52.2, W 81 22 51.0</td> </tr> <tr> <td>Longwood Station</td> <td>N 28 42 04.1, W 81 20 43.4</td> </tr> <tr> <td>Maitland Station</td> <td>N 28 38 03.7, W 81 21 44.7</td> </tr> <tr> <td>Orlando Amtrak/ORMC Station</td> <td>N 28 31 39.5, W 81 22 55.6</td> </tr> <tr> <td>Sand Lake Road Station</td> <td>N 28 27 11.3, W 81 22 1.0</td> </tr> <tr> <td>Sanford/SR46 Station</td> <td>N 28 48 49.8, W 81 17 56.9</td> </tr> <tr> <td>Winter Park/Park Ave Station</td> <td>N 28 35 51.5, W 81 21 6.0</td> </tr> </tbody> </table> | Station Name | Latitude/Longitude Coordinates | Altamonte Springs Station | N 28 39 50.1, W 81 21 23.4 | Church Street Station | N 28 32 20.3, W 81 22 50.6 | DeBary Station | N 28 51 20.3, W 81 19 24.1 | Florida Hospital Station | N 28 34 21.8, W 81 22 17.4 | Lake Mary Station | N28 45 31.8, W 81 19 04.3 | LYNX Central Station | N 28 32 52.2, W 81 22 51.0 | Longwood Station | N 28 42 04.1, W 81 20 43.4 | Maitland Station | N 28 38 03.7, W 81 21 44.7 | Orlando Amtrak/ORMC Station | N 28 31 39.5, W 81 22 55.6 | Sand Lake Road Station | N 28 27 11.3, W 81 22 1.0 | Sanford/SR46 Station | N 28 48 49.8, W 81 17 56.9 | Winter Park/Park Ave Station | N 28 35 51.5, W 81 21 6.0 |
| Station Name | Latitude/Longitude Coordinates | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Altamonte Springs Station | N 28 39 50.1, W 81 21 23.4 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Church Street Station | N 28 32 20.3, W 81 22 50.6 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DeBary Station | N 28 51 20.3, W 81 19 24.1 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Florida Hospital Station | N 28 34 21.8, W 81 22 17.4 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lake Mary Station | N28 45 31.8, W 81 19 04.3 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LYNX Central Station | N 28 32 52.2, W 81 22 51.0 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Longwood Station | N 28 42 04.1, W 81 20 43.4 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Maitland Station | N 28 38 03.7, W 81 21 44.7 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Orlando Amtrak/ORMC Station | N 28 31 39.5, W 81 22 55.6 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sand Lake Road Station | N 28 27 11.3, W 81 22 1.0 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sanford/SR46 Station | N 28 48 49.8, W 81 17 56.9 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Winter Park/Park Ave Station | N 28 35 51.5, W 81 21 6.0 | | | | | | | | | | | | | | | | | | | | | | | | | | |

2013 SURVEYOR CERTIFICATION FORM

If there is no exterior public entrance to the Community Service, then a point should be used that is at the exterior entrance doorway threshold that is the closest walking distance to the doorway threshold of the interior public entrance to the service. For example, for a Pharmacy located within an enclosed shopping mall structure that does not have a direct public exterior entrance, the latitude and longitude coordinates at the doorway threshold of the exterior public entrance to the enclosed shopping mall that provide the shortest walking distance to the doorway threshold of the interior entrance to the Pharmacy would be used.

Applicants may use the same latitude and longitude coordinates for the Grocery Store, Medical Facility and/or Pharmacy if the Grocery Store, Medical Facility and/or Pharmacy is housed at the same location. However, there are no other instances in which an Applicant may use identical coordinates or the same location for any other combination of Transit or Community Services.