

SURVEYOR CERTIFICATION FORM

Name of Development: _____

Development Location: _____

(At a minimum, provide the address number, street name and city, and/or provide the street name, closest designated intersection and either the city (if located within a city) or county (if located in the unincorporated area of the county). If the Development consists of Scattered Sites, the Development Location stated above must reflect the Scattered Site¹ where the Development Location Point is located.)

The undersigned Florida licensed surveyor confirms that the method used to determine the following latitude and longitude coordinates conforms to Rule 5J-17, F.A.C., formerly 61G17-6, F.A.C.:

**All calculations shall be based on "WGS 84" and be grid distances. The horizontal positions shall be collected to meet sub-meter accuracy (no autonomous hand-held GPS units shall be used).*

State the Development Location Point.²	N _____ Degrees	_____ Minutes	_____ Seconds (represented to 2 decimal places)	W _____ Degrees	_____ Minutes	_____ Seconds (represented to 2 decimal places)
--	--------------------	------------------	--	--------------------	------------------	--

To be eligible for proximity points, Degrees and Minutes must be stated as whole numbers and Seconds must be represented to 2 decimal places.

Transit Service – State the latitude and longitude coordinates for one (1) Transit Service on the chart below.³

	Latitude			Longitude		
Public Bus Stop	N _____ Degrees	_____ Minutes	_____ Seconds (represented to 2 decimal places)	W _____ Degrees	_____ Minutes	_____ Seconds (represented to 2 decimal places)
Public Bus Transfer Stop	N _____ Degrees	_____ Minutes	_____ Seconds (represented to 2 decimal places)	W _____ Degrees	_____ Minutes	_____ Seconds (represented to 2 decimal places)
Public Bus Rapid Transit Stop	N _____ Degrees	_____ Minutes	_____ Seconds (represented to 2 decimal places)	W _____ Degrees	_____ Minutes	_____ Seconds (represented to 2 decimal places)
SunRail Station, MetroRail Station, or TriRail Station	N _____ Degrees	_____ Minutes	_____ Seconds (represented to 2 decimal places)	W _____ Degrees	_____ Minutes	_____ Seconds (represented to 2 decimal places)
Using the method described above*, the distance (rounded up to the nearest hundredth of a mile) between the coordinates of the Development Location Point and the coordinates of the Transit Service is:						____ Miles

Community Services - State the Name, Address and latitude and longitude coordinates of the closest service(s) on the chart below.³

Grocery Store:	Latitude			Longitude		
Name - _____ Address - _____ _____ _____	N _____ Degrees	_____ Minutes	_____ Seconds (represented to 2 decimal places)	W _____ Degrees	_____ Minutes	_____ Seconds (represented to 2 decimal places)
Using the method described above*, the distance (rounded up to the nearest hundredth of a mile) between the coordinates of the Development Location Point and the coordinates of the Grocery Store is:						____ Miles

Initials of Surveyor _____

SURVEYOR CERTIFICATION FORM

Medical Facility:	Latitude			Longitude		
Name - _____ Address - _____ _____ _____	N _____ Degrees	_____ Minutes	_____ Seconds (represented to 2 decimal places)	W _____ Degrees	_____ Minutes	_____ Seconds (represented to 2 decimal places)
Using the method described above*, the distance (rounded up to the nearest hundredth of a mile) between the coordinates of the Development Location Point and the coordinates of the Medical Facility is:					____.____ Miles	
Pharmacy:	Latitude			Longitude		
Name - _____ Address - _____ _____ _____	N _____ Degrees	_____ Minutes	_____ Seconds (represented to 2 decimal places)	W _____ Degrees	_____ Minutes	_____ Seconds (represented to 2 decimal places)
Using the method described above*, the distance (rounded up to the nearest hundredth of a mile) between the coordinates of the Development Location Point and the coordinates of the Pharmacy is:					____.____ Miles	
Public School:	Latitude			Longitude		
Name - _____ Address - _____ _____ _____	N _____ Degrees	_____ Minutes	_____ Seconds (represented to 2 decimal places)	W _____ Degrees	_____ Minutes	_____ Seconds (represented to 2 decimal places)
Using the method described above*, the distance (rounded up to the nearest hundredth of a mile) between the coordinates of the Development Location Point and the coordinates of the Public School is:					____.____ Miles	

If the Corporation discovers that there are any false statements made in this certification, the Corporation will forward a copy to the State of Florida Department of Business and Professional Regulation for investigation.

CERTIFICATION – Under penalties of perjury, I declare that the foregoing statement is true and correct.

Signature of Florida Licensed Surveyor

Florida License Number of Signatory

Print or Type Name of Signatory

Please note: This form may be modified by Florida Housing Finance Corporation per Section 67-60.005, F.A.C.

This certification consists of 3 pages. This certification may not be signed by the Applicant, by any related parties of the Applicant, or by any Principals or Financial Beneficiaries of the Applicant. If the certification is inappropriately signed, the Application will not be eligible to receive proximity points. If this certification contains corrections or 'white-out', or if it is altered or retyped, the form will not be considered. The certification may be photocopied. To be considered for scoring purposes, at least pages 1 and 2 of this 3 page certification form must be provided by the Applicant.

SURVEYOR CERTIFICATION FORM

¹“Scattered Sites,” as applied to a single Development, means a Development site that, when taken as a whole, is comprised of real property that is not contiguous (each such non-contiguous site within a Scattered Site Development, a “Scattered Site”). For purposes of this definition “contiguous” means touching at a point or along a boundary. Real property is contiguous if the only intervening real property interest is an easement provided the easement is not a roadway or street.

²“Development Location Point” means a single point selected by the Applicant on the proposed Development site that is located within 100 feet of a residential building existing or to be constructed as part of the proposed Development. For a Development which consists of Scattered Sites, this means a single point on the site with the most units that is located within 100 feet of a residential building existing or to be constructed as part of the proposed Development.

³The latitude and longitude coordinates for all Proximity Services must represent a point as outlined on the Coordinates Location Chart set out below. The coordinates for each service must be stated in degrees, minutes and seconds, with the degrees and minutes stated as whole numbers and the seconds represented to 2 decimal places. If the degrees and minutes are not stated as whole numbers and the seconds are not represented to 2 decimal places, the Applicant will not be eligible for proximity points for that service.

Coordinates Location Chart	
Service	Location where latitude and longitude coordinates must be obtained
Community Services	Coordinates must represent a point that is on the doorway threshold of an exterior entrance that provides direct public access to the building where the service is located.
Transit Services	<p>For Public Bus Stop, Public Bus Rapid Transit Stop, Public Bus Transfer Stop, TriRail Rail Stations and MetroRail Rail Stations, coordinates must represent the location where passengers may embark and disembark the bus or train.</p> <p>For the following SunRail Rail Stations, coordinates must represent the location where passengers may embark and disembark the train:</p> <p>SunRail Station Name Altamonte Springs Station Church Street Station DeBary Station Florida Hospital Station Lake Mary Station LYNX Central Station Longwood Station Maitland Station Orlando Amtrak/ORMC Station Sand Lake Road Station Sanford/SR46 Station Winter Park/Park Ave Station</p>

If there is no exterior public entrance to the Community Service, then a point should be used that is at the exterior entrance doorway threshold that is the closest walking distance to the doorway threshold of the interior public entrance to the service. For example, for a Pharmacy located within an enclosed shopping mall structure that does not have a direct public exterior entrance, the latitude and longitude coordinates at the doorway threshold of the exterior public entrance to the enclosed shopping mall that provide the shortest walking distance to the doorway threshold of the interior entrance to the Pharmacy would be used.

Applicants may use the same latitude and longitude coordinates for the Grocery Store, Medical Facility and/or Pharmacy if the Grocery Store, Medical Facility and/or Pharmacy is housed at the same location.